

Medicilon Non-tumor Pharmacodynamic Services Platform

Keeping pace with industrial development and market demand, Medicilon's experienced Pharmacology and Pharmacodynamics Department has established a complete animal model evaluation system based on verification, precision and efficacy testing. Medicilon provides test subjects that include non-human primates, dogs, rats, mice, rabbits, guinea pigs, and miniature pigs.

With more than 20 years of experience, Medicilon boasts **270+** evaluation models for non-tumor diseases, including inflammatory & immune, CNS, digestive, metabolic, cardiovascular and others.

We have a professional team with profound professional theoretical knowledge and many years of experimental experiences and have most of the advanced experimental facilities to comprehensively evaluate the efficacy of various categories of new drugs, evaluate the pharmacological and pharmacodynamic effects of various types of new drugs from druggability to Class I innovative drugs from the molecular level, cellular level, ex-vivo, in vivo. The pharmacology department has a professional team with profound professional theoretical knowledge and many years of experimental experience. Preclinical systematic efficacy evaluation can be conducted on multiple categories of drugs (including oral preparations, injections, topical preparations, nasal drops, sprays, etc.), including small molecule chemicals, ADC drugs, cell preparations, monoclonal antibodies, traditional Chinese medicine, etc. We can provide comprehensive and authentic trial data and research reports for new drug applications. It has been highly recognized by many customers in the industry.

Non-tumor Animal Models (270+)

- 75 Inflammatory & immune diseases models
- 65 CNS diseases models
- 19 Digestive diseases models

- 46 Metabolic diseases models
- 25 Cardiovascular diseases models
- 45 Others diseases models

Data as of 2024.12

Inflammatory & Immune Diseases Models

| Diseases | Model | Animals |
|---|---|-----------|
| Arthritis | Acute joint inflammation (Carrageenan induction) | Rat |
| | Acute joint inflammation induced CFA | Mouse/Rat |
| | Rheumatoid arthritis induced by II Collagen (CIA model) | Mouse/Rat |
| | Rheumatoid arthritis induced by Complete Freund's Adjuvant (AIA model) | Rat |
| | Gouty arthritis model (Sodium urate induction) | Rat |
| | Sodium iodoacetate (MIA) induced osteoarthritis | Rat |
| Osteoarthritis | Partial Medial Meniscectomy (pMMx) induced osteoarthritis | Rat |
| Osteoartinus | Partial Medial Meniscectomy with Anterior Cruciate Ligament severed (pMMx + | Rat |
| | ACLT) osteoarthritis | rat |
| | Osteoporosis model of castrated female rat | Rat |
| Osteoporosis | Osteoporosis model (Retinoic acid A induction) | Rat |
| | Osteoporosis model (Glucocorticoid induction) | Rat |
| | Vaginal epithelium mitosis (Estrogen induction) | Mouse |
| Psoriasis | Tail scale model | Mouse |
| 1 30114313 | Auricle epidermal dysplasia (IL-23 induction) | Mouse |
| | Back skin psoriasis (Imiquimod induction) | Mouse/Rat |
| | Atopic dermatitis model (MC903 induction) | Mouse |
| | Atopic dermatitis model (Oxazolone induction) | Mouse |
| Atopic dermatitis | Chronic atopic dermatitis model (DNFB induction) | Mouse/Rat |
| and eczema | Chronic atopic dermatitis model (DNCB + OX induction) | Mouse |
| | Subacute eczema-like model (DNFB induction) | Mouse |
| | Eczema-like model (Phorbol ester induction) | Mouse |
| | Ulcerative colitis model (TNBS induction) | Rat |
| Inflammatory bowel | Ulcerative colitis model (DNBS induction) | Rat |
| diseases (IBD) | Acute ulcerative colitis (DSS induction) | Mouse |
| | Chronic ulcerative colitis (DSS induction) | Mouse |
| Multiple sclerosis , Amyotrophic lateral | EAE allergic encephalomyelitis (EAE) model | Mouse |
| sclerosis (MS, ALS) | Cuprizone-induced demyelination of brain tissue | Mouse |
| | Pulmonary inflammation model (LPS induction) | Mouse/Rat |
| Pulmonary | Systemic inflammation model (LPS induction) | Mouse/Rat |
| inflammation | Pulmonary fibrosis model (Bleomycin induction) | Mouse/Rat |
| and fibrosis | Pulmonary fibrosis model (Paraquat induction) | Rat |
| | Silicosis model (Silicon dioxide induction) | Mouse/Rat |
| Asthma | Bronchial asthma model (OVA + Aluminum hydroxide induction) | Rat |
| | Heymann nephritis model | Rat |
| Nephritis | IgA nephritis model | Mouse |
| | Serum sickness nephritis model | Rat |
| | Alopecia (Rosin and Paraffin + Testosterone propionate induction) | Mouse |
| Alopecia and | Alopecia (Testosterone propionate induction) | Mouse/Rat |
| Alopecia areata | Alopecia (Dihydrotestosterone induction) | Mouse |
| | Alopecia areata (Imiquimod induction) | Mouse |
| | Alopecia areata (Cyclophosphamide induction) | Mouse |
| Allergic rhinitis | Allergic rhinitis model (OVA + Aluminum hydroxide induction) | Mouse |
| Allergic Hilling | Allergic rhinitis model (OVA + DPT vaccine induction without cell) | Rat |
| | Pruritus model (Chloroquine induction) | Mouse |
| Druritus model | Acute pruritus model (Histamine induction) | Mouse |
| Pruritus model | Pruritus model (Histamine + 4-AP induction) | Mouse |
| | Pruritus model (Dextran induction) | Mouse |

| Diseases | Model | Animals |
|------------------------------|---|-----------|
| Pruritus model | Acute pruritus model (Compound 48/80 induction) | Mouse |
| | Pruritus model (MC903 induction) | Mouse |
| | Dry skin pruritus model | Mouse |
| | Immunodeficiency model (Dexamethasone induction) | Mouse |
| Humoral and cellular | Immune dysfunction model (Heteroprotein induction) | Mouse |
| immune function | Cellular immune function test in vivo | Mouse |
| | Humoral immune function test in vivo | Mouse |
| | Avaluating effects on mononuclear macrophage function in vivo | Mouse |
| | Auricle swelling model | Mouse |
| | Toe swelling model | Rat |
| Inflammation and | Capillary permeability test | Mouse/Rat |
| Swelling | Granuloma proliferation model | Rat |
| Ü | Carbon clearance test | Mouse |
| | Fever model (Yeast induction) | Mouse |
| | Passive cutaneous anaphylaxis (PCA) | Mouse/Rat |
| Immune-mediated | Allergic conjunctivitis (AC) model | Rat |
| inflammatory eye diseases | Dry eye model | Rat |

CNS Models

| Diseases | Model | Animals |
|----------------------|--|------------------|
| | Forced swimming test | Mouse/Rat |
| | Tail suspension test | Mouse |
| | 5-HTP-induced head twitches response | Mouse |
| | Reserpine-induced ptosis | Mouse |
| Depression | Yohimbine-induced lethality test | Mouse |
| Depression | High dose apomorphine antagonism | Mouse |
| | Chronic unpredictable mild stress (CUMS) | Rat |
| | Novelty suppressed feeding test | Mouse/Rat |
| | MAO-A activity test | Mouse/Rat |
| | MAO-B activity test | Mouse/Rat |
| | Clonic seizure model (Pentylenetetrazol induction) | Mouse |
| | Clonic seizure model (Strychnine hydrochloride induction) | Mouse |
| Convulsant | Clonic seizure model (Bicuculline induction) | Mouse |
| | Yohimbine-induced lethality test | Mouse |
| | Clonic seizure model (Picrotoxin induction) | Mouse |
| | Subacute model (MPTP induction) | Mouse |
| Parkinson's diseases | Chronic model (MPTP + Probenecid induction) | Mouse |
| | Tremors/salivation (Oxotremorine induction) | Mouse |
| | Memory acquisition impairment | Mouse/Rat |
| | Memory consolidating impairment | Mouse |
| | Memory retrieval impairment | Mouse |
| Dementia | Light-dark box test | Mouse |
| | Morris water maze test | Mouse/Rat |
| | Activity of acetylcholinesterase test | Mouse/Rat |
| | Subacute aging model (D-galactose induction) | Mouse |
| | Novel object recognition (NOR) test | Rat |
| | APP/PS1/Tau transgenic mice (Morris water maze, CognitionWall) | Transgenic Mouse |

| Diseases | Model | Animals |
|-----------------------------------|--|-----------|
| Sedative hypnosis anti-anxiety | Synergistic effect with pentobarbital | Mouse |
| | Synergies with pentobarbital drugs | Mouse |
| | Wake up and fall asleep again | Mouse |
| | Open field test (video monitoring, software processing) | Mouse/Rat |
| | Elevated plus maze test (video monitoring, software processing) | Mouse/Rat |
| | Shuttle Box test (video monitoring, software processing) | Mouse |
| | MK801 induced schizophrenia (negative symptom) | Mouse |
| | MK801 induced schizophrenia (positive symptom) | Mouse |
| | Ketamine induced schizophrenia with negative symptom | Mouse |
| Schizophrenia | Haloperidol-induced catalepsy | Rat |
| | Lower lip retraction test | Rat |
| | Apomorphine-induced rotation test | Mouse |
| | Hyperactivity induced by Amphetamine | Rat |
| | Hyperactivity induced by Phencyclidine | Rat |
| | Hot- or cold-plate tests, Radiant heat tail-flick test, Randall-Selitto test | Mouse/Rat |
| | Von-Frey filaments test | Mouse/Rat |
| | Acetic acid writhing test | Mouse |
| | Formalin model (phase I & phase II) | Mouse |
| | Model of foot inflammatory pain model (CFA induction) | Mouse/Rat |
| | Model of foot inflammatory pain model (Carrageenan induction) | Mouse/Rat |
| | L5/L6 spinal nerve ligation (SNL) | Rat |
| Nociceptive pain | LPS-induced thermal hyperalgesia | Mouse/Rat |
| | Sciatic nerve injury (SNI) model | Mouse/Rat |
| | Pain model (Incision induction) | Rat |
| | Diabetic foot ulcer pain model | Mouse/Rat |
| | Chemotherapy pain model (Vincristine induction) | Rat |
| | Chemotherapy pain model (Paclitaxel induction) | Rat |
| | Osteoarthritis pain model (pMMx + ACLT induction) | Rat |
| | Osteoarthritis pain model (MIA induction) | Rat |

Digestive Diseases Models

| Diseases | Model | Animals |
|---|--|-----------|
| | Gastric acid secretion model (Pyloric ligation induction) | Rat |
| | Gastric acid secretion model (Histamine induction) | Rat |
| | Gastric ulcer model (Ethanol induction) | Mouse |
| | Gastric ulcer model (Non-steroidal anti-inflammatory drug induction) | Rat |
| Gastric acid secretion and Gastric ulcer | Gastric ulcer model (water bundle stress induction) | Rat |
| and Gastric dicer | Chronic gastric ulcer model (Acetic acid induction) | Rat |
| | Gastric ulcer model (Pyloric ligation induction) | Rat |
| | Duodenal mucosal tesions model (Cysteine induction) | Rat |
| | Reflux esophagitis model | Rat |
| | Chronic atrophic gastritis model | Rat |
| | Gastric emptying (GE) model | Mouse/Rat |
| Gastric and intestinal motility disorders | Gastric and intestinal motility model | Mouse/Rat |
| | Functional dyspepsia model | Rat |
| | Diarrhea model | Mouse/Rat |
| | Constipation model | Mouse/Rat |

Metabolic Diseases Models

| Diseases | Model | Animals |
|---------------------------------------|--|--------------------------|
| | Obesity model (HFD and HSD induction) | Mouse/Rat/Golden Hamster |
| | DIO model (HFD induction) | Mouse/Rat |
| | Model of losing fat and gaining muscle | Mouse/Rat |
| Obesity and Diabetes | Type 1 diabetes model (Streptozotocin induction) | Mouse/NOD Mouse/Rat |
| Obesity and Diabetes | Spontaneous type 2 diabetes mice (db/db, ob/ob) | db/db Mouse, ob/ob Mouse |
| | Spontaneous type 2 diabetes rat (ZDF) | ZDF Rat |
| | Diabetic skin ulcer model | Mouse/Rat |
| | Diabetic foot model | Mouse/Rat |
| | Hyperuricemia (Potassium oxonate induction) | Mouse/Rat |
| | Hyperuricemia (Adenine induction) | Rat |
| | Hyperuricemia (Adenine + Potassium oxonate induction) | Rat |
| Hyperuricemia | Hyperuricemia (Hypoxanthine induction) | Mouse |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Hyperuricemia (Hypoxanthine + Potassium oxonate induction) | Mouse/Rat |
| | Hyperuricemia (Yeast induction) | Mouse |
| | Hyperuricemia (Adenine + Ethambutol induction) | Rat |
| | Hyperuricemia (Uric acid induction) | Mouse |
| | Alcoholic liver injury model | Mouse/Rat |
| | NAFLD model (HFD diet induction) | Mouse/Rat/Hamster |
| NAFLD | NASH model (HFD diet induction) | Mouse/Rat/Hamster |
| (NAFL / NASH) | NASH model (MCD diet induction) | Mouse |
| | NASH model (CDAA diet induction) | Mouse/Rat |
| | NASH model (Composite factor induction) | Rat |
| | Liver fibrosis model (Biliary ligation induction) | Rat |
| | Liver fibrosis model (TAA induction) | Rat |
| Liver fibrosis | Liver fibrosis model (Composite factor induction) | Rat |
| | Liver fibrosis model (ConA induction) | Mouse |
| | Immune liver fibrosis (pig serum induction) | Rat |
| Liver and Bill I d | Acute liver injury model (Acetaminophen induction) | Mouse |
| Liver and Bile duct diseases | Intrahepatic cholestasis model | Rat |
| | Primary biliary cholangitis | Mouse |

Cardiovascular Diseases Models

| Diseases | Model | Animals |
|---|---|--------------|
| B !! ! ! | Hyperlipidemia model (HFD/Cholesterol /Fructose diet induction) | Rat/ Hamster |
| Dyslipidemia | Hereditary atherosclerosis + HFD | APOE Mouse |
| | Arteriovenous bypass thrombosis model | Mouse/Rat |
| | Caudal vein thrombosis (Carrageenan induction) | Mouse |
| - | Rat model of deep vein thrombosis | Rat |
| Thrombosis, Anticoagulation, | Carotid artery thrombosis model | Mouse/Rat |
| Hemophilia | Bleeding time (BT) test | Mouse |
| | Coagulation time (CT) test | Mouse |
| | Four tests for coagulation (PT, APTT, TT, FIB) | Mouse/Rat |
| | F8-KO hemophilia model | Mouse |
| Middle cerebral artery occlusion (MCAO) | Cerebral ischemia reperfusion: dose-dependent and time-effect relationship research | Mouse/Rat |
| | Time window for treatment of cerebral ischemia reperfusion injury | Mouse/Rat |
| | The neuroprotective effect of cerebral ischemia reperfusion | Mouse/Rat |
| | Permanent cerebral infarction model | Rat |

| Diseases | Model | Animals |
|---------------------------------|---|---------|
| Myocardial ischemia-reperfusion | Myocardial ischemia-reperfusion model | Rat |
| Anemia | Hypoferric anemia | Rat |
| | Renal anemia induced by 5/6 Nephrectomy | Rat |
| | Renal anemia induced by Adenine | Rat |

Other Diseases Models

| Diseases | Model | Animals |
|---|--|----------------------|
| | Acute renal failure (Cisplatin induction) | Rat |
| | Acute kidney injury (RIAKI) model (Rhabdomyolysis induction) | Mouse |
| Kidney injury and | Renal ischemia-reperfusion model | Rat |
| failure | Chronic renal failure induced by 5/6 Nephrectomy | Rat |
| | Chronic renal failure induced by Adenine | Rat |
| | Diabetic renal failure | ZDF Rat, db/db Mouse |
| | Leukopenia model (Cyclophosphamide induction) | Mouse/Rat |
| Laukamania | Leukopenia model (Cytarabine induction) | Rat |
| Leukopenia | Leukopenia model (Adriamycin induction) | Rat |
| | Leukopenia model (Cisplatin induction) | Rat |
| Doonireten, ovetem | Expelling phlegm test (phenol red excretion method) | Mouse |
| Respiratory system | Tracheal goblet cell staining counts | Rat |
| | Sexual behavior test experiment (Back climbing experiment) | Rat |
| Sexual dysfunction | Erectile function test in normal rat | Rat |
| | Erectile function test in castrated rat | Rat |
| | Prostatic hyperplasia model (Normal) | Mouse/Rat |
| December 11 and 12 and | Prostatic hyperplasia model (Castration) | Mouse/Rat |
| Prostatic diseases | Prostatic hyperplasia model (Androgen induction) | Mouse/Rat |
| | Nonbacterial prostatitis | Rat |
| | Uterine fibroid model | Rat |
| Gynecological diseases | Endometriosis model | Mouse/Rat |
| | Mammary hyperplasia model | Rat |
| Hyperthyreosis | Secondary hyperthyroidism model | Mouse/Rat |
| | Full-thickness skin trauma model | Mouse/Rat |
| Skin healing | Standardized Scalding Burn Model | Mouse/Rat |
| | Diabetic foot ulcer model | db/db Mouse |
| O a maria | Sepsis model (LPS induction) | Mouse |
| Sepsis | Sepsis model (CLP induction) | Mouse |
| | Glaucoma model | Rat |
| | Choroidal neovascularization (CNV) model | Mouse/Monkey |
| Ocular diseases | Retinal neovascularization (RNV) model | Rabbit |
| | Alkali burn of cornea model | Rat/Rabbit |
| | Dry AMD model | Mouse |



MEDICILON

Email: marketing@medicilon.com

Website: www.medicilon.com **Tel:** +1 (781) 535-1428

Global Headquarters: No. 585, Chuanda Road, Pudong, Shanghai, 201299, China

US Laboratory: 20 Maguire Road, Suite 103, Lexington, MA 02421, USA